

ESTABLISHING WATER MONITORING NETWORKS




Coastal Acidification



COASTAL ACIDIFICATION





GLOBAL + LOCAL

Community Science and Research Organizations

Harbor Watch

- T Clean Up Sound and Harbors MA Save the Sound
 - Save the Sound
- Coalition to Save Hempstead Harbor
- Save the Bay- Westerly
- Dominion Energy
- Shellfish Commission Members
- Norm Bloom & Son Oysters
- Fisher's Island Oyster Farm
- CT Shellfish Industry
- The Nature Conservancy
- Kelp Hatcheries
- Project WET Water Education for Teachers
- Roger Williams University Monitoring Partnerships
- Roger Williams University
- East Coast Shellfish Growers Association
- URI Watershed Watch Program
- URI Monitoring Partnerships
- Brown U. Monitoring Partnerships

- Mystic River Watershed Association
- Charles River Watershed Association
- Neponset River Watershed Association
- North and South Rivers Watershed Association
- Buzzards Bay Coalition
- Upper North Shore Region of MassBays
- Nashua River Watershed Association
- Ipswich River Watershed Association
- Blackstone River Watershed Association
- Salem Sound Coastwatch
- Massachusetts Rivers Alliance
- Cohasset Center for Student Coastal Research
- Center for Coastal Studies- Provincetown
- National Park Service- Cape Cod
- The Massachusetts Shellfish Officers Association (MSOA)
- Mass. Aquaculture Association
 / Island Creek
 - Aquaculture Research Corporation
- Falmouth Water Stewards
- Town of Mashpee

- Maine Coast Observers Alliance MCOA
 - Georges River Tidewater Association
 - Damariscotta River Association
 - Sheepscot Valley Conservation
 Association
 - Medomak Valley Land Trust
 - Kennebec Estuary Land Trust
 - Boothbay Region Land Trust
 - Rockport Conservation Commission
 - Friends of Casco Bay
 - Mook Sea Farm
 - Bowdoin College Partnerships
 - Hancock County Soil and Water Conservation District
 - Schoodic Institute
 - Mount Desert Biological Laboratory
 - Island Heritage Trust

For Local Monitoring

"Guidelines for Measuring Sea Water pH and associated Carbonate Chemistry in Coastal Environments of the Eastern United States" – Grear and Pimenta

A Strategy for Ocean and Coastal Acidification (OCA) Education and Citizen Science Monitoring in the Northeast

– Beth Turner



Where a monitoring Massachuse

NECAN.ORG




EPA Guidelines Document

2 Recorded Training Webinars

OCA Educational Resources

GIS Mapping



UNITED STATES

NECAN Northeast Coas

Acidification Network

Project: Long Island Sound Survey Group: Department of Energy and Environmental Protection Parameters: pH, Dissolved Oxygen, Temperature, Salinity, Nitrogen, Phosphorous, Climatological Conditions, Sea State, Tides, Water Clarity, Depth, Silica, Carbon, Chl a, Total Suspended Solids, Biological Oxygen Demand Equipment Used: SeaBird SBE 19 (1991-2017) YSI EXO 2 (2018-) Sampling Frequency: Year round Years Sampled: 1991-present Contact Email: katie.obrienclayton@ct.gov Contact Phone Number: 860-424-3176 Website: Click Here

esr


101 01

261

CHS, Esri, GEBCO, DeLorme, NaturalVue | CHS, Esri, GEBCO, IHO-IOC GEBCO, DeLorme, NGS

Individual Community Science Groups

Organizations measuring each parameter



perature		• • • •			•••	• • •	••	• • •	•••	• •	• •	• •	• •			•	••	
nity					• • •		•••			•••	• •	• •		•		•		
gen Saturation		• • • •			• • •		•••	• • •		• •	• •	• •	• •	•		•	• •	• •
					•••		••			• •	• •		• •	•	• •	•	• •	
orophyll-A			•••	• • •	•••	• • •	• •	••		•••			•	•		•		
ogical Monitoring																		
ogen			• • •	•••	• • •	• • •	•••	••	•••	•••	• •	• •		• •	• •	-		• •
l Alkalinity					•••		•••			• •	• •	• •		•	• •	•	•	• •
		• • • •			• • •		•••			• •	• •	• •	• •	-		•		• •
2					•••	• • •				• •	• •	•	•		•			




Coordinating

 \bigtriangledown

Water Monitoring Groups

Laboratories to Measure Total Alkalinity





Join discussion webinars for the project and methodology TA sampling kits arrive free of charge to monitoring organizations (TA sample bottles, data labels, waterproof bag for on-ice transport) Monitoring groups select sampling sites with science advisors

- Sampling regimes focus on greatest "salinity gradient"; i.e. maximums of low and high tide
- You'll need your own thermometers, salinity meters, a cooler and ice
- Educational materials for coastal acidification will be provided for you to share with volunteers
- Aug 22, Collect samples at low, mid and high tide for each site. Bottle samples kept on Ice. While you do this, other groups from Long Island Sound to Downeast Maine will also be sampling for TA, Salinity and Temperature
- Aug 23, Transport or ship samples to Science Hubs at partnering laboratories



- Join Science Advisors and other Shell Day participants to continue conversation about coastal acidification and to operate on-site TA measurement
- Data synthesis led by NECAN research partners and participating organizations
- Results formulated into usable figures/products
- Webinars to discuss and share result in Fall, 2019



OVERVIEW

Many *routine* water measurements are integral to understanding local acidification conditions

There are resources to help water monitoring programs further investigate coastal acidification

Join Shell Day on August 22! NECAN.ORG/shellday

Special Thanks to our Partners









THE CURTIS & EDITH MUNSON FOUNDATION



Connecticut Department of

ENERGY &





Senator George J. Mitchell ENVIRONMENTAL OTECTION Center for Sustainability Solutions