


# THE EFFECTS OF GREEN CRAB PREDATION

Bailey Bowden

Chair

Penobscot Shellfish Conservation  
Committee



Data SIO NOAA U.S. Navy NGA GEBCO  
© 2013 Google  
Image Landsat

Google earth

Imagery Date: 4/9/2013 44°37'24.82" N 68°38'13.78" W Elev: 357 ft Eye Alt: 46.48 mi





Image © 2012 Google

Google earth

Imagery Date: 8/31/2012 44°24'14.07" N 68°43'33.00" W Alt: 16 ft Eye Alt: 13.07 mi





35000

Image © 2013 Google Earth

Google Earth

1991

Imagery | 10/21/2006 | 41°52'28" N | 88°41'06.43" W | 200 | 0.2 ft | eye alt 25667 ft



Lynx

Image © 2013 DigitalGlobe

Google earth

Imagery Data: 7/21/2016 44°27'38.12" N -68°41'09.80" W alt: 4 ft eye alt: 10718 ft

1991

# PENOBSCOT LANDINGS

- 2007 224,754 Lbs
  - 2008 75,474 Lbs
  - 2009 104,138 Lbs
- 
- 3 Year average of 134,789 Lbs





Photo courtesy of Hannah Annis , Maine DMR biologist






Photo courtesy of Hannah Annis , Maine DMR biologist





**Photo courtesy of Hannah Annis , Maine DMR biologist**





Photo courtesy of Pat Wardwell





Photo courtesy of Pat Wardwell





Photo courtesy of Pat Wardwell





Photo courtesy of Bailey Bowden





Photo courtesy of Hannah Annis , Maine DMR biologist





**Photo courtesy of Hannah Annis , Maine DMR biologist**





Photo courtesy of Bailey Bowden





Photo courtesy of Bailey Bowden





**Photo courtesy of Bailey Bowden**





Photo courtesy of Bailey Bowden





**Photo courtesy of Bailey Bowden**